



# Decorative Wiring Accessories

PRODUCT BROCHURE



[scolmore.com](http://scolmore.com)





Switches

---

Power Socket Outlets

---

13A Fused Connection Units

---

Control Switches

---

Television & Telephone

---

Data Sockets







A comprehensive range of premium decorative metal wiring accessories is now available under the Deco Plus brand. A brand that is synonymous with high specification, exceptional quality and unprecedented value.

The smooth contemporary curves of the Deco Plus range are available in seven finishes to complement any room.

Each product is supplied individually packaged in its own distinctive printed box complete with full fitting instructions.

Deco Plus switches feature the same modular switch design as our moulded ranges. All of the switch modules featured in our MiniGrid® brochure can therefore be used in any combination on Deco Plus accessories.

All Deco Plus 13A Sockets and Fused Connection units are tested and approved to BS1363 offering assured quality and safety.

---

All Deco Plus products featured in the pages of this brochure are available in seven distinctive quality finishes.



Antique Brass\*  
(AB)



Satin Brass\*  
(SB)



Satin Chrome\*  
(SC)



Polished Brass  
(BR)



Black Nickel  
(BN)



Stainless Steel  
(SS)



Polished Chrome  
(CH)

\*UK Design Registration 3015621.

When ordering any Deco Plus products,  
please specify the required finish by  
following the simple code structure as  
demonstrated here...

### Deco Plus unique product codes

**DP**

Plate Style

**BN**

Product Finish

**036**

Product Number

**BK**

Insert Colour

All Deco Plus products are available  
with black or white inserts,



excluding antique brass and black nickel finishes, which  
are supplied with black insert and gasket only.








# Contents

New Features	13
Switches	14
MiniGrid®	22
Power Socket Outlets	27
13A Fused Connection Units	30
Control Switches	32
Television, Telephone and Data	34
New Media™	38



ahead of the **curve**






# New Features

...plus so much more

Attention to detail has been at the forefront of the design process for our newest range of wiring accessories. All aspects, no matter how small, have been taken into account and collectively create the elegant style that characterises Deco Plus.



Every accessory within the range which contains a neon now has an insert surrounding the lens of the neon.



An attractive feature added to the Deco Plus range is the profile of the cooker sockets. Instead of the traditional T-bar shape, our new range matches the profile of our ingot sockets.



# Switches

- MODULAR INGOT PLATE SWITCHES
- TOGGLE SWITCHES
- DIMMER SWITCHES


All Deco Plus switches are supplied complete with requisite switch module(s). However, should local conditions dictate, the installer may customise a switch arrangement by substituting switch modules by means of a simple, single fixing screw.

A comprehensive range of available modules is illustrated in our dedicated MiniGrid® brochure.

Unfurnished mounting plates can be ordered separately and furnished with whatever selection of switch modules may be required.

**MINIGRID®**

Please see page 22 for a selection of MiniGrid® modules. For the complete range please see the Click® Wiring Accessories Catalogue.



All Deco Plus switch plates are modular as standard, allowing you to create virtually any switch plate you require.

deco  
PLUS +

411



412




413




425



414



416



**MINIGRID®** Switch modules are interchangeable with MiniGrid® Modules, please see page 22.  
For the complete range of MiniGrid® modules please see our dedicated MiniGrid® Brochure.

**'Ingot' 10AX Plate Switches (Modular)**

- |            |                                  |            |   |
|------------|----------------------------------|------------|---|
| <b>411</b> | 10AX 1 Gang 2 Way 'Ingot' Switch | <b>414</b> | 10AX 4 Gang 2 Way 'Ingot' Switch        |
| <b>412</b> | 10AX 2 Gang 2 Way 'Ingot' Switch | <b>416</b> | 10AX 6 Gang 2 Way 'Ingot' Switch        |
| <b>413</b> | 10AX 3 Gang 2 Way 'Ingot' Switch | <b>425</b> | 10AX 1 Gang Intermediate 'Ingot' Switch |

**Standards:** BS EN 60669 **Back Box Depth:** 16mm Minimum  
**Cable Size:** 4 x 1.5mm<sup>2</sup> / 2 x 2.5mm<sup>2</sup> / 1 x 6mm<sup>2</sup> Maximum  
**Dimensions:** 1 Gang: 88mm x 88mm x 8mm, 2 Gang: 148mm x 88mm x 8mm

Understanding the code:

**DP** - Plate Style **BN** - Plate Finish **036** - Product No. **BK** - Insert Colour Please note: AB & BN are only available with black inserts.  
AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel.





**MINIGRID®** For interchangeable MiniGrid® Modules please see page 22.  
For the complete range of MiniGrid® modules please see our dedicated MiniGrid® Brochure.

### Switch Plates (Unfurnished)

- 401** 1 Gang Plate Single Aperture
- 402** 1 Gang Plate Twin Aperture
- 403** 1 Gang Plate Triple Aperture
- 404** 2 Gang Plate (2+2) Aperture
- 406** 2 Gang Plate (3+3) Aperture
- 426** 2 Gang Plate 6 In-Line Aperture

### Architrave Switch Plates (Unfurnished)

- 471** 1 Gang Single Aperture Architrave Switch Plate
- 472** 2 Gang Twin Aperture Architrave Switch Plate

These plates must be used with the architrave back boxes WA671 / WA672 and can only be flush mounted.

**Back Box Depth:** Dependant on modules used **Cable Size:** Dependant on modules used  
**Dimensions:** 1 Gang: 88mm x 88mm x 8mm, 2 Gang: 148mm x 88mm x 8mm,  
Single architrave: 35mm x 88mm x 8mm Twin architrave: 35mm x 150mm x 8mm

Understanding the code:

DP - Plate Style BN - Plate Finish 036 - Product No. BK - Insert Colour Please note: AB & BN are only available with black inserts.  
AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel.



# Toggle Switches & Dimming

A wide selection of toggle switches  
and dimmers for within your home.



421



422



423



424



Toggle Switch Module Corresponding Plate Finishes:

**Module Finish**

- CH - Chrome
- PN - Pearl Nickel
- BR - Brass
- BN - Black Nickel
- AB - Antique Brass

**Plate Finish**

- Chrome
- Satin Chrome & Stainless Steel
- Brass & Satin Brass
- Black Nickel
- Antique Brass

MD9125



MD9125 Intermediate module available.  
Not interchangeable with dimmers or other MiniGrid® modules.

## 10AX Toggle Switches

- 421** 10AX 1 Gang 2 Way Toggle Switch
- 422** 10AX 2 Gang 2 Way Toggle Switch
- 423** 10AX 3 Gang 2 Way Toggle Switch
- 424** 10AX 4 Gang 2 Way Toggle Switch

## 10AX Intermediate Toggle Switch Module

**MD9125** 10AX Intermediate Toggle Switch Module

Please add required module finish suffix, as demonstrated above, to the end of the code.

**Standards:** BS EN 60669 **Back Box Depth:** 25mm Minimum **Cable Size:** 2 x 2.5mm<sup>2</sup> / 4 x 1.5mm<sup>2</sup>  
**Dimensions:** 1 Gang: 88mm x 88mm x 8mm, 2 Gang: 148mm x 88mm x 8mm

Understanding the code:

DP - Plate Style **BN** - Plate Finish **036** - Product No.

AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel.

140



152



153



154



**MINIGRID®** Dimmer modules interchangeable with MiniGrid® Dimmers, please see page 22.  
For the complete range of MiniGrid® modules please see our dedicated MiniGrid® Brochure.

#### Dimmer Switches For Tungsten, Halogen & Low Voltage

- 140** 1 Gang 2 Way 400W/Va Resistive/Inductive Dimmer Switch
- 152** 2 Gang 2 Way 400W/Va Resistive/Inductive Dimmer Switch
- 153** 3 Gang 2 Way 400W/Va Resistive/Inductive Dimmer Switch
- 154** 4 Gang 2 Way 400W/Va Resistive/Inductive Dimmer Switch

We recommend the use of branded halogen lamps with all Deco Plus dimmers. The use of inferior, non-branded lamps may require the nominal rating of the dimmer to be reduced. These dimmer switches have not been designed for use with LED lamps. However, they may be suitable for some good quality LED lamps. For further information please contact the Click Technical support team.

**Standards:** BS EN 60669, BS EN 55015 **Type:** Leading Edge  
**Back Box Depth:** 25mm **Cable Size:** 2 x 1.5mm<sup>2</sup>  
**Dimensions:** 1 Gang: 88mm x 88mm x 8mm, 2 Gang: 148mm x 88mm x 8mm

Understanding the code:

DP - Plate Style BN - Plate Finish 036 - Product No.  
AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel.

140PL



152PL



153PL




154PL



185



186



PL plates only available in Satin Chrome & Polished Chrome  
The dimmer modules are supplied separately to the plates.

Use the nut runner to easily exchange dimmer modules and create customised dimmer switch plates.

## Dimmer Mounting Plates & Dimmer Knobs

- 140PL** 1 Gang 2 Way Dimmer Plate 650W Max. Single Plate
- 152PL** 2 Gang 2 Way Dimmer Plate 800W Max. Single Plate
- 153PL** 3 Gang 2 Way Dimmer Plate 1200W Max. Double Plate
- 154PL** 4 Gang 2 Way Dimmer Plate 1600W Max. Double Plate
- 185** Single Dimmer Plate 1000W Max. Double Plate
- 186** Twin Dimmer Plate 1630W Max. Double Plate

## Interchangeable Dimmer Switch Modules

- MD9010** 1-10V Analogue Dimmer Module
- MD9001** 6A 2 Way Push On/Off (Non-Dimmable)
- MD9022** 250W/Va 2 Way Resistive/Inductive
- MD9042** 400W/Va 2 Way Resistive/Inductive
- SP900** Dimmer M10 Nut Runner Tool

**Maximum Wattage:** 185: 1000W 186: 1630W

**Back Box Depth:** Dependant on modules fitted **Cable Size:** 2 x 1.5mm<sup>2</sup>

**Dimensions:** 1 Gang: 88mm x 88mm x 8mm, 2 Gang: 148mm x 88mm x 8mm Dimmer Switch Module: 25 x 62 x 22mm

Understanding the code:

DP - Plate Style BN - Plate Finish 036 - Product No.

AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel.



MiniGrid® modules are available in the same decorative finishes as the Deco Plus range as well as white and black, so there are plenty of options available to suit your application.





512



518

The furnished plate shown here contains a selection of both single and twin width MiniGrid® modules. For the full range please see our dedicated MiniGrid® Brochure.



A GR100 yoke is required to mount the MiniGrid® modules into prior to assembling the front plate. See opposite page for yoke options.

**Module Plate Range**

**512** 12 MiniGrid® Module Plate

**518** 18 MiniGrid® Module Plate

**Back Box Depth:** 47mm Minimum **Cable Size:** Dependant on module used  
**Dimensions:** 12 Module: 148mm x 148mm x 8mm 18 Module: 148mm x 227mm x 8mm

Understanding the code:

**DP** - Plate Style **BN** - Plate Finish **036** - Product No. **BK** - Insert Colour Please note: AB & BN are only available with black inserts.  
AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel.



GR100PW



GR100BK



WA518



WA512



**MINIGRID®** Galvanised steel back boxes supplied for flush mounting of the large MiniGrid® plates. Mounting Yoke facilitates pre-assembly of required modules. Fitted with twin earth terminals.

**Yokes**

**WA512** 2 Gang Double Row K/O Box 47mm Deep

**WA518** 2 Gang Triple Row K/O Box 47mm Deep

**Back Boxes**

**GR100BK** 6 MiniGrid® Module Yoke - Black

**GR100PW** 6 MiniGrid® Module Yoke - Polar White

**Dimensions:** 512: 137mm x 137mm 518: 137mm x 197mm



With the ever increasing demand for power supplies in all areas of the home, comes the problem of selecting and fitting outlets which blend harmoniously with the décor of the room in which they are to be fitted.

The seven different Deco Plus plate finishes offer a solution for almost every possible design need and will enhance the décor of any area, whether in a kitchen, bedroom, lounge or study etc.

# Power Socket Outlets, Fused Connection Units and Control Switches

- 13A WALL SOCKET OUTLETS
- ROUND PIN WALL SOCKET OUTLETS
- FUSED CONNECTION UNITS
- FAN ISOLATION SWITCHES
- DP SWITCHES



038



039



535



571



536



570



#### Round Pin Socket Outlets

**038** 5A Round Pin Socket Outlet

**039** 2A Round Pin Socket Outlet

#### 13A 'Ingot' Switched Socket Outlets

**535** 13A 1 Gang DP 'Ingot' Switched Socket Outlet

**536** 13A 2 Gang DP 'Ingot' Switched Socket Outlet (Twin Earth)

#### 13A 'Ingot' Switched Socket with 2.1A USB Outlets

**571** 13A 1G 'Ingot' Switched Socket with 2.1A USB Outlet

**570** 13A 2G 'Ingot' Switched Socket with 2.1A USB Outlet (Twin Earth)

**Standards:** 038,039: BS 546 535,536: BS 1363 570,571: BS1363, BS5733, BS60950-1, EN61000-6-1, EN 61000-6-3

**Back Box Depth:** 25mm Minimum 571: 35mm **Cable Size:** 2A: 2 x 2.5mm<sup>2</sup> / 3 x 1.5mm<sup>2</sup> 5A: 2 x 2.5mm<sup>2</sup> / 3 x 1.5mm<sup>2</sup> 13A: 4 x 2.5mm<sup>2</sup>

**Dimensions:** 1 Gang: 88mm x 88mm x 8mm, 2 Gang: 148mm x 88mm x 8mm

Understanding the code:

**DP** - Plate Style **BN** - Plate Finish **036** - Product No. **BK** - Insert Colour Please note: AB & BN are only available with black inserts.  
AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel.

024



060



100



061



Deco Plus dual voltage shaver outlets incorporate a double wound isolating transformer rated 20Va at 230V or 115V and meets BS EN 61558-2-5: 1998, making it safe for use in bathrooms.

Shaver outlet is not continuously rated and therefore not suitable for use as a permanent charging outlet.

**20A DP Sink/Bath Switch**

**024** 20A DP Sink/Bath Switch

**Dual Voltage Shaver Socket Outlet**

**100** 115V/230V Dual Voltage Shaver Socket Outlet

**Blank Plates**

**060** 1 Gang Blank Plate

**061** 2 Gang Blank Plate

**Standards:** 024: BS EN 60669 100: BS EN 61558

**Back Box Depth:** 024: 25mm min 100: 47mm min. **Cable Size:** 024: 3 x 2.5mm<sup>2</sup> 100: 2 x 1.5mm<sup>2</sup> / 1 x 2.5mm<sup>2</sup>

**Dimensions:** 1 Gang: 88mm x 88mm x 8mm, 2 Gang: 148mm x 88mm x 8mm

Understanding the code:

DP - Plate Style BN - Plate Finish 036 - Product No. BK - Insert Colour Please note: AB & BN are only available with black inserts.  
 AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel.

550



551



552



553



#### 13A 'Ingot' Fused Connection Units with Optional Flex Outlet

- 550** FCU 'Ingot' with Flex Outlet
- 551** FCU 'Ingot' Switched with Flex Outlet
- 552** FCU 'Ingot' Switched with Flex Outlet & Neon
- 553** FCU 'Ingot' with Flex Outlet with Neon

**Standards:** BS 1363 and BS 1362 (fuse)  
**Back Box Depth:** 25mm Minimum **Cable Size:** 3 x 2.5mm<sup>2</sup> or 2 x 4mm<sup>2</sup>  
**Dimensions:** 1 Gang: 88mm x 88mm x 8mm

Understanding the code:

**DP** - Plate Style **BN** - Plate Finish **036** - Product No. **BK** - Insert Colour Please note: AB & BN are only available with black inserts.  
 AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel.

750



751



752



753



## 13A 'Ingot' Fused Connection Units (without Flex Outlet)

- 750** FCU 'Ingot'
- 751** FCU 'Ingot' Switched
- 752** FCU 'Ingot' Switched with Neon
- 753** FCU 'Ingot' with Neon

**Standards:** BS 1363 and BS 1362 (fuse)

**Back Box Depth:** 25mm Minimum **Cable Size:** 3 x 2.5mm<sup>2</sup> or 2 x 4mm<sup>2</sup>

**Dimensions:** 1 Gang: 88mm x 88mm x 8mm

Understanding the code:

**DP** - Plate Style **BN** - Plate Finish **036** - Product No. **BK** - Insert Colour Please note: AB & BN are only available with black inserts.  
 AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel.

520



522



523



722



723



3 Pole and 20A DP Switches are non-modular

#### Fan Isolation 'Ingot' Switch

**520** 10A 3 Pole Fan Isolation 'Ingot' Switch

#### 20A DP 'Ingot' Switch with Optional Flex Outlet (11mm Dia.)

- 522** 20A DP 'Ingot' Switch with Flex Outlet
- 523** 20A DP 'Ingot' Switch with Flex Outlet & Neon

#### 20A DP 'Ingot' Switch (without Flex Outlet)

- 722** 20A DP 'Ingot' Switch
- 723** 20A DP 'Ingot' Switch with Neon

**Standards:** BS EN 60669 **Back Box Depth:** 25mm Minimum **Cable Size:** 20A DP: 4 x 2.5mm<sup>2</sup> 10A 3P: 1 x 2.5mm<sup>2</sup> / 2 x 1.5mm<sup>2</sup>  
**Dimensions:** 1 Gang: 88mm x 88mm x 8mm

Understanding the code:

**DP** - Plate Style **BN** - Plate Finish **036** - Product No. **BK** - Insert Colour Please note: AB & BN are only available with black inserts.  
 AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel.



500



502



503



501



504



505



**45A 'Ingot' Cooker Control Units**

- 500 1 Gang 45A DP 'Ingot' Switch
- 501 1 Gang 45A DP 'Ingot' Switch with Neon
- 502 2 Gang 45A DP 'Ingot' Switch
- 503 2 Gang 45A DP 'Ingot' Switch with Neon
- 504 45A Cooker Control Unit + 13A DP 'Ingot' Switched Socket
- 505 45A Cooker Control Unit + 13A DP 'Ingot' Switched Socket & Neons

**Standards:** BS EN 60669, BS 4177 **Back Box Depth:** 35mm Minimum **Cable Size:** 45A: 1 x 16mm<sup>2</sup>  
**Dimensions:** 1 Gang: 88mm x 88mm x 8mm 2 Gang: 148mm x 88mm x 8mm

Understanding the code:

DP - Plate Style BN - Plate Finish 036 - Product No. BK - Insert Colour Please note: AB & BN are only available with black inserts.  
 AB Antique Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel.

# Television, Telephone and Data Sockets

- RJ11 OUTLET
- UK TELEPHONE OUTLETS
- SATELLITE SOCKET OUTLETS
- COAXIAL SOCKETS

The following pages contain details of Deco Plus products designed to deal with handling data and media transfer through telephone, computer, television or radio.

As well as the finished products please also find details of unfurnished mounting plates designed to accept custom selections of New Media™ modules from our dedicated Modules Brochure.





deco  
PLUS 

115



120 / 125



121 / 126



Twin outlets are 2 separate sockets and are not internally linked together.

#### RJ11 Data Outlets

**115** Single RJ11 Flush Socket - Ireland/USA

#### UK Telephone Outlets

**120** Single Telephone Socket - Master

**121** Twin Telephone Socket - Master

**125** Single Telephone Socket - Secondary

**126** Twin Telephone Socket - Secondary

**Back Box Depth:** 16mm Minimum **Termination Type:** IDC  
**Dimensions:** 1 Gang: 88mm x 88mm x 8mm

Understanding the code:

**DP** - Plate Style **BN** - Plate Finish **036** - Product No. **BK** - Insert Colour Please note: AB & BN are only available with black inserts.  
AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel.

158 / 065



159 / 066



156



157 / 170



Isolated outlets will filter out any interference.

If a 2 way signal is required, i.e. for use with satellite hard wire extensions, then a non-isolated outlet is required.

**Non-Isolated Coaxial Socket (Unshielded)**

- 065** Single Non-Isolated Coaxial Socket
- 066** Twin Non-Isolated Coaxial Socket

**Isolated Coaxial Socket (Unshielded)**

- 158** Single Isolated Coaxial Socket
- 159** Twin Isolated Coaxial Socket

**Satellite Socket Outlets (Unshielded)**

- 156** Non-Isolated Single Satellite Socket
- 157** Isolated Satellite & Isolated Coaxial Socket
- 170** Non-Isolated Satellite & Non-Isolated Coaxial Socket

**Back Box Depth:** 16mm Minimum  
**Dimensions:** 1 Gang: 88mm x 88mm x 8mm

Understanding the code:

**DP** - Plate Style **BN** - Plate Finish **036** - Product No. **BK** - Insert Colour Please note: AB & BN are only available with black inserts.  
 AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel.

# Solutions for media cabling

Selecting from a range of module inserts covering all manner of media transfer, installers will now be able to configure their own arrangement of television, radio or satellite reception, plus speaker, telephone and data outlets. All modules can be inserted into single or double wall plates and fitted onto standard switch and socket boxes.



The furnished plate shown here contains a selection of both single and twin width New Media™ modules.

The New Media™ range provides the installer with ultimate flexibility, allowing you to mix and match the connections you have on your wall plate. All modules are available in white or black finishes to complement any installation.



310



311



312



**new media™**

All plates supplied with black and white gaskets where applicable.

Above are some examples of New Media™ Modules we offer, please see our dedicated New Media™ brochure for more information on the range of Modules available.

**New Media™ Plates**

- 310** 1 Gang Plate Single Aperture (Unfurnished)
- 311** 1 Gang Plate Twin Aperture (Unfurnished)
- 312** 2 Gang Plate Quad Aperture (Unfurnished)

**Back Box Depth:** 310, 311, 312: dependant on module used.

**Dimensions:** 1 Gang: 88mm x 88mm x 8mm 2 Gang: 148mm x 88mm x 8mm

DP - Plate Style BN - Plate Finish 036 - Product No. BK - Insert Colour Please note: AB & BN are only available with black inserts.  
 AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel.

United Kingdom

**Scolmore**  
GROUP

Scolmore Park, Landsberg,  
Lichfield Road Industrial Estate,  
Tamworth, Staffordshire  
B79 7XB, United Kingdom

T: +44 (0)1827 63454

F: +44 (0)1827 63362

E: [sales@scolmore.com](mailto:sales@scolmore.com)

[www.scolmore.com](http://www.scolmore.com)

Southern Ireland

**CLICK**® Litehouse

18 Corrig Road,  
Sandyford,  
Dublin  
D18 WV79, Ireland

T: +353 (1) 2811 122

F: +353 (1) 2811 224

E: [sales@clicklitehouse.ie](mailto:sales@clicklitehouse.ie)

[www.clicklitehouse.ie](http://www.clicklitehouse.ie)