




DOWNLIGHTS




Ovia® Downlights

Ovia® Downlights



NOTE:
Features a housed terminal block with loop-out facility.



NOTE:
Features a housed terminal block with loop-out facility.



230V GZ10 50W Max. Fixed Downlight

230V GZ10 50W Max. Adjustable Downlight

Code	Description	No. of Lamps	Lampholder Type	Max Wattage
GZ015*	230V GZ10 50W Max. Fixed Downlight	1	GZ10/GU10	50W

Lamp not included

Code	Description	Tilt	No. of Lamps	Lampholder Type	Max Wattage
GZ020*	230V GZ10 50W Max. Adjustable Downlight	30°	1	GZ10/GU10	50W

Available Finishes (*)



WH White SC Satin Chrome CH Chrome

Please add required finish in to the code e.g. **GZ015CH**.

Product Approvals
Complies with BS EN 60598


Available Finishes (*)



WH White SC Satin Chrome CH Chrome

Please add required finish in to the code e.g. **GZ020CH**.

Product Approvals
Complies with BS EN 60598



Requires Bezel (GF495)
not included
(See opposite page)



230V IP65 Fixed Downlight Housing c/w Flow™ Connector

Code	Description	No. of Lamps	Lampholder Type	Max Wattage
GZ096	230V GZ10 50W Max. IP65 Fixed Downlight Housing	1	GZ10/GU10	50W

Lamp not included

Cast Downlight Bezels

Code	Description
GF495CH	Cast IP65 Bezel - Chrome
GF495SC	Cast IP65 Bezel - Satin Chrome
GF495WH	Cast IP65 Bezel - White



Requires GU395 or GZ096 Housing



Product Approvals
* SELV - Safety Extra Low Voltage
Complies with BS EN 60598

Ovia® Downlights

Ovia® Downlights



NOTE:
Features a housed terminal block with loop-out facility.

12V GU5.3 50W Max. Fixed Downlight

12V GU5.3 50W Max. Adjustable Downlight

Code	Description	No. of Lamps	Lampholder Type	Max Wattage
LVB015*	12V GU5.3 50W Max. Fixed Downlight	1	GU5.3	50W

Code	Description	Tilt	No. of Lamps	Lampholder Type	Max Wattage
LVB020*	12V GU5.3 50W Max. Adjustable Downlight	15°	1	GU5.3	50W

Lamp not included

Lamp not included

For Transformers see page E9.

For Transformers see page E9.

Available Finishes (*)

Available Finishes (*)



WH SC CH
White Satin Chrome Chrome



WH SC CH
White Satin Chrome Chrome

Please add required finish in to the code e.g. LVB015CH.

Please add required finish in to the code e.g. LVB020CH.




Product Approvals
SELV - Safety Extra Low Voltage
Complies with BS EN 60598



Product Approvals
SELV - Safety Extra Low Voltage
Complies with BS EN 60598

Ovia® Downlights



Optional glass covers available not included

230V Low Energy Open Downlight With Optional Glass c/w Flow™ Connector

Code	Description	No. of Lamps	Lampholder Type	Max Wattage
LE120WH	230V E27 20W Max. 175mm Dia. Vertical Head Downlight - White	1	E27	20W

Lamp not included

Glass Kits for LE120



Code	Description
GF140CG	IP65 Glass And Seal
GF145CG	Drop Full Glass Kit (c/w Collars)
GF147CG	Drop Halo Glass Kit (c/w Collars)




Available Finish

WH
White

Product Approvals
Complies with BS EN 60598

Ovia® Downlights



Optional glass covers available not included

230V Low Energy Open Downlight With Optional Glass c/w Flow™ Connector

Code	Description	No. of Lamps	Lampholder Type	Max Wattage
LE220WH	230V E27 2 x 20W Max. 230mm Dia. Horizontal Head Downlight - White	1	E27	2 x 20W

Lamp not included

Glass Kits for LE220



Code	Description
GF240CG	IP65 Glass And Seal
GF245CG	Drop Full Glass Kit (c/w Collars)
GF247CG	Drop Halo Glass Kit (c/w Collars)





Available Finish

WH
White

Product Approvals
Complies with BS EN 60598

Ovia® Downlights

Ovia® Downlights



230V Cast Fixed Square 122mm Downlights c/w Flow™ Connector

230V Cast Fixed 118mm Dia. Downlights c/w Flow™ Connector


Code	Description	No. of Lamps	Lampholder Type	Max Wattage
LE5211*	230V E27 12W Max. Fixed Downlight	1	E27	12W

Code	Description	No. of Lamps	Lampholder Type	Max Wattage
LE5201*	230V E27 12W Max. Fixed Downlight	1	E27	12W

Lamp not included

Lamp not included

Available Finishes (*)



Available Finishes (*)



Please add required finish in to the code e.g. LE5211CH.



Product Approvals
Complies with BS EN 60598

Please add required finish in to the code e.g. LE5201CH.


Product Approvals
Complies with BS EN 60598

Ovia® Downlights

Ovia® Downlights



Requires Bezel
(GF4300, GF4310, GF4311)
not included
(See next page)



230V Fixed 110mm Dia. Downlights c/w Flow™ Connector & Moisture Seal

230V Fixed Downlight Housing c/w Flow™ Connector & Moisture Seal

Code	Description	No. of Lamps	Lampholder Type	Max Wattage
LE5101*	230V E27 12W Max. Fixed Downlight	1	E27	12W

Lamp not included

Code	Description	No. of Lamps	Lampholder Type	Max Wattage
LE5301	230V E27 12W Max. Fixed Downlight Housing	1	E27	12W

Lamp not included

Available Finishes (*)



WH SC CH
White Satin Chrome Chrome

Please add required finish in to the code e.g. LE5101CH.



Product Approvals
Complies with BS EN 60598



Product Approvals
Complies with BS EN 60598

CAST DOWNLIGHT BEZELS

Ovia® Downlights




Cast Downlight Bezels

Code	Description
GF4300*	Cast IP65 118mm Diameter Bezel
GF4301*	Cast IP65 122mm Square Bezel
GF4311*	Cast 118mm Diameter Halo Glass Bezel

Requires GU4301 or LE5301 Housing

Available Finishes (*)



Please add required finish in to the code e.g. [GF4300WH](#).

Product Approvals
Complies with BS EN 60598