


# DOWNLIGHTS



ovivo®




Available Finishes



Please add required finish in to the code e.g. **GZ015CH**.

Dimensions



**NOTE:** Features a housed terminal block with loop-out facility.


230V GZ10 50W Max. Fixed Downlight

Code	Description	No. of Lamps	Lampholder Type	Max Wattage
<b>GZ015CH</b>	230V GZ10 50W Max. Fixed Downlight - Chrome	1	GZ10/GU10	50W
<b>GZ015SC</b>	230V GZ10 50W Max. Fixed Downlight - Satin Chrome	1	GZ10/GU10	50W
<b>GZ015WH</b>	230V GZ10 50W Max. Fixed Downlight - White	1	GZ10/GU10	50W

Lamp not included. Features a housed terminal block with loop-out facility.

Product Approvals

Complies with BS EN 60598




Available Finishes



Please add required finish in to the code e.g. **GZ020CH**.

Dimensions



**NOTE:** Features a housed terminal block with loop-out facility.

230V GZ10 50W Max. Adjustable Downlight


Code	Description	Tilt	No. of Lamps	Lampholder Type	Max Wattage
<b>GZ020CH</b>	230V GZ10 50W Max. Adjustable Downlight - Chrome	30°	1	GZ10/GU10	50W
<b>GZ020SC</b>	230V GZ10 50W Max. Adjustable Downlight - Satin Chrome	30°	1	GZ10/GU10	50W
<b>GZ020WH</b>	230V GZ10 50W Max. Adjustable Downlight - White	30°	1	GZ10/GU10	50W

Product Approvals

Complies with BS EN 60598



Dimensions



Requires Bezel (GF495) not included  
(See opposite page)

IP65

IP65

230V IP65 Fixed Downlight Housing c/w Flow™ Connector

Code	Description	No. of Lamps	Lampholder Type	Max Wattage
GZ096	230V GZ10 50W Max. IP65 Fixed Downlight Housing	1	GZ10/GU10	50W

Lamp not included Requires Bezel (GF495) not included



Product Approvals

Complies with BS EN 60598



Cast IP65 Bezel

Code	Description
GF495CH	Cast IP65 Bezel - Chrome
GF495SC	Cast IP65 Bezel - Satin Chrome
GF495WH	Cast IP65 Bezel - White

Requires GU395 or GZ096 Housing


Available Finishes



Integrated  
**flow**<sup>™</sup>  
Connector



Dimensions



Optional glass covers available not included

230V Low Energy Open Downlight With Optional Glass c/w Flow<sup>™</sup> Connector

Code	Description	No. of Lamps	Lampholder Type	Max Wattage
LE120WH	230V E27 20W Max. 175mm Dia. Vertical Head Downlight - White	1	E27	20W

Lamp not included Optional glass covers available not included



GF140CG

GF145CG

GF147CG

Glass Kits for LE120

Code	Description
GF140CG	IP65 Glass And Seal
GF145CG	Drop Full Glass Kit (c/w Collars)
GF147CG	Drop Halo Glass Kit (c/w Collars)

Available Finishes




Product Approvals

Complies with BS EN 60598

Integrated  
**flow**<sup>™</sup>  
Connector



Dimensions




Optional glass covers available not included

230V Low Energy Open Downlight With Optional Glass c/w Flow<sup>™</sup> Connector

Code	Description	No. of Lamps	Lampholder Type	Max Wattage
LE220WH	230V E27 2 x 20W Max. 230mm Dia. Horizontal Head Downlight - White	1	E27	2 x 20W

Lamp not included Optional glass covers available not included



GF240CG

GF245CG

GF247CG

Glass Kits for LE220

Code	Description
GF240CG	IP65 Glass And Seal
GF245CG	Drop Full Glass Kit (c/w Collars)
GF247CG	Drop Halo Glass Kit (c/w Collars)

Available Finishes



Product Approvals

Complies with BS EN 60598




Available Finishes



Please add required finish in to the code e.g. **LE5211CH**.

Dimensions



230V Cast Fixed Square 122mm Downlights c/w Flow™ Connector

Code	Description	No. of Lamps	Lampholder Type	Max Wattage
<b>LE5211CH</b>	230V E27 12W Max. Fixed Downlight - Chrome	1	E27	12W
<b>LE5211SC</b>	230V E27 12W Max. Fixed Downlight - Satin Chrome	1	E27	12W
<b>LE5211WH</b>	230V E27 12W Max. Fixed Downlight - White	1	E27	12W

Lamp not included



Product Approvals

Complies with BS EN 60598




Available Finishes



Please add required finish in to the code e.g. **LE5201CH**.

Dimensions



230V Cast Fixed 118mm Dia. Downlights c/w Flow™ Connector

Code	Description	No. of Lamps	Lampholder Type	Max Wattage
<b>LE5201CH</b>	230V E27 12W Max. Fixed Downlight - Chrome	1	E27	12W
<b>LE5201SC</b>	230V E27 12W Max. Fixed Downlight - Satin Chrome	1	E27	12W
<b>LE5201WH</b>	230V E27 12W Max. Fixed Downlight - White	1	E27	12W

Lamp not included

Product Approvals

Complies with BS EN 60598






Available Finishes



Please add required finish in to the code e.g. **LE5101CH**.

Dimensions



230V Fixed 110mm Dia. Downlights c/w Flow™ Connector & Moisture Seal

Code	Description	No. of Lamps	Lampholder Type	Max Wattage
LE5101CH	230V E27 12W Max. Fixed Downlight - Chrome	1	E27	12W
LE5101SC	230V E27 12W Max. Fixed Downlight - Satin Chrome	1	E27	12W
LE5101WH	230V E27 12W Max. Fixed Downlight - White	1	E27	12W

Lamp not included




Product Approvals

Complies with BS EN 60598



Dimensions



230V Fixed Downlight Housing c/w Flow™ Connector & Moisture Seal

Code	Description	No. of Lamps	Lampholder Type	Max Wattage
LE5301	230V E27 12W Max. Fixed Downlight Housing	1	E27	12W

Lamp not included Requires Bezel (GF4300, GF4310, GF4311) not included, please see overleaf.

Product Approvals

Complies with BS EN 60598






**Cast IP65 118mm Diameter Bezel**

Code	Description
<b>GF4300CH</b>	Cast IP65 118mm Diameter Bezel - Chrome
<b>GF4300SC</b>	Cast IP65 118mm Diameter Bezel - Satin Chrome
<b>GF4300WH</b>	Cast IP65 118mm Diameter Bezel - White


Requires GU4301 or LE5301 Housing



**Cast IP65 122mm Square Bezel**

Code	Description
<b>GF4301CH</b>	Cast IP65 122mm Square Bezel - Chrome
<b>GF4301SC</b>	Cast IP65 122mm Square Bezel - Satin Chrome
<b>GF4301WH</b>	Cast IP65 122mm Square Bezel - White

Requires GU4301 or LE5301 Housing



**Cast 118mm Diameter Halo Glass Bezel**

Code	Description
<b>GF4311CH</b>	Cast 118mm Diameter Halo Glass Bezel - Chrome
<b>GF4311SC</b>	Cast 118mm Diameter Halo Glass Bezel - Satin Chrome
<b>GF4311WH</b>	Cast 118mm Diameter Halo Glass Bezel - White

Requires GU4301 or LE5301 Housing

Available Finishes



**Product Approvals**

Complies with BS EN 60598